


Reverse Circulation
Drill Pipes & Tools

PERFORATOR



English



RC Drill Pipes of PERFORATOR

PERFORATOR RC drill pipes and drill string components are available for all rig types, designed for minimizing operation costs and maximizing your drilling productivity. Highest quality in materials and manufacturing results in high performance of the products. Our API and ISO approved quality management system assures an entire material traceability. A highly skilled team of specialists are always available for your support.

Outer Tool Joints and Inner Couplings

PERFORATOR outer tool joints and inner couplings are manufactured from high grade material with special heat treatment on thread connections for extended life time and maximum wear protection. The friction welded connection of the tool joints to the drill pipe body ensures perfect mechanical properties and axial alignment.

Drill Pipe Body (Tube)

PERFORATOR drill pipe bodies are seamless and sourced from European premium steel mills. We offer a wide range of grades to optimize your specific application.

Applications of Reverse Circulation Pipes

- Special drill pipes for exploration and grade control
- Innovative method for grade control in open pit mining
- Grade control for definition of ore grades is indispensable for planning and blasting

Characteristics of RC Pipes

- Use of dual wall drill rods: an outer tube with an hollow inner tube
- Inner tube enables transport of drill cuttings back to the surface
- Uncontaminated samples and lower handling times
- RC pipes allow continuous and homogeneous operation
- Faster drilling performances at greater depths
- Most cost and time efficient method to differentiate between minerals and waste rock

Standard Dimensions		
OD	Length	Connection
3 1/2"	3 m	3 1/2" REMET
3 1/2"	6 m	3 1/2" REMET
4"	3 m	4" REMET
4"	3 m	4" METZKE
4"	3 m	DR102
4"	6 m	4" REMET
4"	6 m	4" METZKE
4"	6 m	DR102
4 1/2"	3 m	4 1/2" REMET
4 1/2"	3 m	4 1/2" METZKE
4 1/2"	3 m	DR115
4 1/2"	6 m	4 1/2" REMET
4 1/2"	6 m	4 1/2" METZKE
4 1/2"	6 m	DR115

PERFORATOR PERFORMANCE PIPES

- Standard version with o-rings, alternative with air seal system
- Other lengths available from 1m to 9m
- Non standard RC pipes in OD 3 1/4" up to 8 5/8" in all lengths on request

Tools for RC Drill Pipes

- Crossover Subs
- Dig Out Subs
- Blow Down Subs
- Stainless Steel rods also available
- and many more

SPECIAL ADVANTAGES OF RC DRILLING

- Uncontaminated and reliable samples
- Avoidance of cross-contamination
- Precise location of mineral deposits
- High drilling penetration rates

PERFORATOR



PERFORATOR GmbH
Bei dem Gerichte
37445 Walkenried
GERMANY
Tel.: +49 5525 201 - 0
Fax: +49 5525 201 - 48



E-Mail: info@perforator.de
www.perforator.de

